

TAW12_3-3

- 1 What type of object are recorded in customizing change requests
-
- ✓ Client independent
Client specific
System Wide
Versions
- 2 A customer defined enhancement project uses function group XG99.
Identify the invalid include generated for the enhancement project
-
- ✓ ZXG99L01
ZXG99U01
ZXG99E01
ZXG99F01
- 3 In the case of a screen exit, how is global data accessed by the subscreen
-
- ✓ Use the MOVE statement to move the screen data to the TOP include of the subscreen
The developer uses preplanned function module exits
Global data is available to subscreens so no special programming is required
- 4 What is SAP Software Change Registration (SSCR) used for
-
- ✓ To register SAP modifications made by a developer
To register custom developed modifications made by a developer
To register enhancements made by a developer
To register Customizing made by a developer

5 Match the definition in group 1 with the exit type in group 2

Group 1

- a. Placing your own code in the include of a supplied function module
- b. Defining your own text for the supplied function codes
- c. Creating subscreens for the subscreen areas
- d. Adding function modules for the data elements

Group 2

- 1. Field Exit
- 2. Screen Exit
- 3. Menu Exit
- 4. Function Exit

- ✓ B-1, A-4, C-3, D-2
- A-4, B-3, C-2, D-1
- A-3, B-2, C-1, D-4

6 What component of a class guarantees its own consistency

- ✓ public attributes
- functional methods
- static methods
- private attributes

7 What tasks must the developer perform in order to implement a BADI

(More than one answer is correct)

- ✓ Creates the adapter class
- Provides Code for methods
- Defines Methods
- ✓ Created the BADI implementation

8 Which transaction is used to make dictionary adjustments when upgrading versions of SAP

SPAU



SPDD
CMOD
SP01

- 9 Which of the following types of enhancements do not need to be assigned to an enhancement project:
-

(More than one answer is correct)



Keyword
Program exit



Field exit
Menu exit
Screen

- 10 A user has made a modification to a SAP subroutine. A new upgrade release is to be applied and SAP has made modifications to the same subroutine that the user has modified. What will happen during upgrade using the modification assistant
-



The user modifications must be reapplied manually
The modification assistant will prompt you for a change request to reapply the change
The user modifications are automatically inserted into the new subroutine release
Options 'replace' and 'insert' is made available for you to decide on how to handle the upgrade

TAW12_3-3

11 What transaction should be used to change keywords and short texts for SAP data elements

- SE30
- SMOD
- ✓ CMOD
- SE12

12 What is true about append structures.

(More than one answer is correct)

- An append-structure can be assigned to more than one table
- A table can have only one append structure
- ✓ A table can have more than one append structure.
- ✓ An append-structure can only be assigned to one specific table

13 What screen object is needed on a tabstrip

- screen
- box
- pushbutton
- ✓ subscreen area

14 Which of the following types of enhancements do not need to be assigned to an enhancement project:

(More than one answer is correct)

- ✓ Keyword
- ✓ Field exit
- Screen
- Program exit
- Menu exit

15 What is the value of sy-subrc when the user presses cancel after a screen has been displayed using the Call Selection-Screen statement

- 1
- 0
- 8
- ✓ 4

16 A customer defined enhancement project uses function group XG99. Identify the invalid include generated for the enhancement project

- ZXG99E01
- ZXG99U01
- ✓ ZXG99L01
- ZXG99F01

17 What is SAP Software Change Registration (SSCR) used for

- ✓ To register SAP modifications made by a developer
- To register Customizing made by a developer
- To register custom developed modifications made by a developer
- To register enhancements made by a developer

18 Execution of get_instance factory method causes what to happen.

```
Call Method
  cl_exitahndler=>get_instance
changing
  instance = rf_badi.
```

(More than one answer is correct)

- The reference variable is instantiated
- The interface is instantiated
- Error Exception is raised because Static Method are not allowed with a BADI
- ✓ The object reference methods can now be called
- ✓ The generated adapter class is instantiated

19 Identify the key word that determines if a CMOD function exit has been provided

- CALL CUSTOMER-SUBSCREEN
- CALL PROGRAM-EXIT
- ✓ CALL CUSTOMER-FUNCTION
- CALL USER-EXIT

20 Which is not considered a way to tailor an R/3 system

- Customizing
- Modification
- Enhancement
- ✓ Interfacing
- Personalization

TAW12_3-3

21 Mark the item that is NOT True of BADI Function Codes

✓

Can be created only for a single use BADI
 Must not be filter dependant
 The Method call and the menu enhancement
 must be defined in different enhancements
 function codes are identified with the prefix
 '+' i.e. When '+XXX'
 Must not be defined for multiple use

22 If you noticed a function code in a menu that began with + (plus sign),
 what type of exit would you be observing:

✓

a program exit
 a text exit
 a menu exit
 a screen exit

23 What tasks must the developer perform in order to implement a BADI

(More than one answer is correct)

✓

✓

Created the BADI implementation
 Provides Code for methods
 Defines Methods
 Creates the adapter class

24 What is SAP Software Change Registration (SSCR) used for

✓

To register custom developed modifications
 made by a developer
 To register Customizing made by a developer
 To register SAP modifications made by a
 developer

To register enhancements made by a developer

25 What is true about the enhancement concept.

(More than one answer is correct)

- ✓ A component can be contained in more than one enhancement
- ✓ A specific enhancement can only be used in one customer project
- ✓ Enhancement Projects use CI includes
- They are preplanned by SAP
- A specific enhancement may be used in more than one customer project

26 Match the definition in group 1 with the exit type in group 2

Group 1

- a. Placing your own code in the include of a supplied function module
- b. Defining your own text for the supplied function codes
- c. Creating subscreens for the subscreen areas
- d. Adding function modules for the data elements

Group 2

- 1. Field Exit
- 2. Screen Exit
- 3. Menu Exit
- 4. Function Exit

- ✓ A-3, B-2, C-1, D-4
- A-4, B-3, C-2, D-1
- B-1, A-4, C-3, D-2

27 Where in a function module XAAA would global data of an enhancement be declared

- ✓ In the TOP include ZxaaaTOP
- In the TOP include LxaaaTOP
- In the TAP include LxaaaTAP
- In the Include with your other code changes

28 What components are part of the make up of a Business Add In

(More than one answer is correct)

- ✓ Functional Exits
- ✓ Adapter Class
- Interface
- Business Object
- Signature

29 Which of the following methods require higher maintenance when new releases of SAP are installed.

- ✓ Modifications to the SAP Standard
- Append Structures
- Customizing
- Enhancements to the SAP Standard

30 What is an SD User Exit technically considered.

- ✓ Customizing
- Enhancement
- Modification
- User Include

TAW12_3-3

- 31 Which is not considered a way to tailor an R/3 system
-
- Enhancement
 - Modification
 - Personalization
 - ✓ Interfacing
 - Customizing
- 32 Refer to the code below and select the correct method
-
- ```
Data: rf_enh type ref to if_ex_mybadi.

call method
 cl_exithandler=>get_instance
changing
 instance = rf_enh
```
- ✓ call method get\_instance->methodname
  - call method rf\_enh->methodname
  - call method rf\_enh=>methodname
  - call method cl\_exithandler->methodname
- 33 What relationship can be established in watchpoints.
- 
- any boolean operators
  - OR conditions only
  - ✓ combination of OR or AND conditions
  - AND conditions only
- 34 If you want to make a change to the standard delivered SAP system to fit your business needs, what is the first thing you should do:
- 
- Change the relevant SAP repository object
  - Create a custom object within the customer name range
  - ✓ Check configuration to see if the proposed change is feasible
  - Log on to OSS and ask SAP to apply the change

35 In what case will an automatic upgrade take place using the modification assistant assuming no name or layout conflict exist

---

**(More than one answer is correct)**

- ✓ Menu function id modified
- Deletion of a collective search help
- ✓ New Function Module is added to a function group
- New tabstrip added to a screen

36 Name the transaction Code for Creating a BADI implementation

---

- ✓ SE19
- SE80
- SE24
- SE18

37 What is true about append structures.

---

**(More than one answer is correct)**

- ✓ A table can have only one append structure
- ✓ A table can have more than one append structure.
- An append-structure can be assigned to more than one table
- ✓ An append-structure can only be assigned to one specific table

38 How many modification logs are available in your system

---

- 1 for every release
- Determined by Basis group - this is a configurable item
- minimum of 1
- ✓ maximum of 1

39 What is true about programming a screen exit?

---

You can branch to another screen by coding SET SCREEN  
xxx

- ✓ The screen type must be subscreen
- You can set your own gui-status

40 Where in a function exit does the customer code get inserted

---

- ✓ In the include program that can be found in the function module that corresponds to the enhancement component
- In the include of the calling program that calls the function
- In the program that calls the function module that corresponds to the enhancement component
- In the function module itself that corresponds to the enhancement component

## TAW12\_3-3

- 41 In the case of a screen exit, how is global data accessed by the subscreen
- 
- ✓ The developer uses preplanned function module exits  
Use the MOVE statement to move the screen data to the TOP include of the subscreen  
Global data is available to subscreens so no special programming is required
- 42 What is an SD User Exit technically considered.
- 
- ✓ Enhancement  
User Include  
Modification  
Customizing
- 43 Name the parameter that is required with a filter dependent Business Add-In
- 
- ✓ service class parameter clflt\_val  
import parameter flt\_val  
interface parameter flt\_parm  
export parameter ex\_val
- 44 What relationship can be established in watchpoints.
- 
- ✓ OR conditions only  
AND conditions only  
any boolean operators  
combination of OR or AND conditions
- 45 Where in a function module XAAA would global data of an enhancement be declared

- ✓ In the TOP include ZxaaaTOP  
In the TOP include LxaaaTOP  
In the TAP include LxaaaTAP  
In the Include with your other code changes

46 Identify the key word that determines if a CMOD function exit has been provided

---

- ✓ CALL CUSTOMER-SUBSCREEN  
CALL PROGRAM-EXIT  
CALL USER-EXIT  
CALL CUSTOMER-FUNCTION

47 How does a customer benefit by using SSCR

---

- ✓ To log Customizing made by a development user  
To log enhancements made by a development user  
To log modifications made by a development user

48 What tasks must the developer perform in order to implement a BADI

---

**(More than one answer is correct)**

- ✓ Creates the adapter class  
Created the BADI implementation
- ✓ Provides Code for methods  
Defines Methods

49 When implementing a BADI that is filter dependent, how does the filter value get passed to the method ?

---

- There is no need to pass to the method as a parameter
- The filter value gets passed as a reference variable

### TAW12\_3-3

The filter value is passed to the method as an import parameter



The filter value is passed to the method as an export parameter

50

Interface Methods are made available by calling the static method 'get\_instance' of the which service class

---

exithandler

if\_ex\_badi



cl\_exithandler

cl\_exithandler\_badi

## TAW12\_3-3

51 What is the term used when a change is made to a customer object in a system other than the original system

---

- ✓ Change  
Repair  
Correction  
Modification

52 What object is not supported by the modification assistant

---

- ✓ Menus  
Functions  
User exits  
Text Elements

53 What is true about programming a screen exit?

---

- ✓ The screen type must be subscreen  
You can set your own gui-status  
You can branch to another screen by coding SET SCREEN  
xxx

54 Name the parameter that is required with a filter dependent Business Add-In

---

- ✓ export parameter ex\_val  
import parameter flt\_val  
interface parameter flt\_parm  
service class parameter clflt\_val

55 How are Customizing Includes created.

---



- ✓ Project Enhancement  
 In the ABAP Dictionary  
 Customizing transactions  
 ABAP Workbench
- 56 What type of requests are used to transport repository objects
- 
- ✓ Object Browser  
 Repository  
 Customizing  
 Workbench
- 57 A customer defined enhancement project uses function group XG99.  
Identify the invalid include generated for the enhancement project
- 
- ✓ ZXG99U01  
 ZXG99E01  
 ZXG99F01  
 ZXG99L01
- 58 What is SAP Software Change Registration (SSCR) used for
- 
- ✓ To register Customizing made by a developer  
 To register enhancements made by a developer  
 To register custom developed modifications made by a developer  
 To register SAP modifications made by a developer
- 59 What type of object are recorded in customizing change requests
- 
- ✓ Client independent  
 System Wide  
 Client specific  
 Versions
- 60 How does a customer benefit by using SSCR

- ✓ To log Customizing made by a development user
- To log enhancements made by a development user
- To log modifications made by a development user

## TAW12\_3-3

61 What term is used when a developer makes a change to an SAP object

---

- ✓
- Custom development
  - Copy
  - User Exit
  - Modification

62 What is the customer name range for fields in an append structure

---

- ✓
- Z\_ or Y\_
  - ZZ or YY
  - ZZ\_ or YY\_
  - Z or Y

63 How does a customer benefit by using SSCR

---

- ✓
- To log modifications made by a development user
  - To log enhancements made by a development user
  - To log Customizing made by a development user

64 How many modification logs are available in your system

---

- ✓
- maximum of 1
  - 1 for every release
  - minimum of 1
  - Determined by Basis group - this is a configurable item

65 Which transaction is used to make dictionary adjustments when upgrading versions of SAP

---

✓ SP01  
CMOD  
SPAU  
SPDD

66 What tasks must the developer perform in order to implement a BADI

---

**(More than one answer is correct)**

✓ Created the BADI implementation  
Creates the adapter class  
✓ Provides Code for methods  
  
Defines Methods

67 Match the definition in group 1 with the exit type in group 2

---

Group 1

- a. Placing your own code in the include of a supplied function module
- b. Defining your own text for the supplied function codes
- c. Creating subscreens for the subscreen areas
- d. Adding function modules for the data elements

Group 2

1. Field Exit
2. Screen Exit
3. Menu Exit
4. Function Exit

✓ A-3, B-2, C-1, D-4  
A-4, B-3, C-2, D-1  
B-1, A-4, C-3, D-2

68 What screen object is needed on a tabstrip

---

✓ box  
subscreen area  
screen  
pushbutton

69 What components are part of the make up of a Business Add In

---

**(More than one answer is correct)**

- ✓ Interface
- ✓ Adapter Class
- Signature
- Functional Exits
- Business Object

70 A customer defined enhancement project uses function group XG99.  
Identify the invalid include generated for the enhancement project

---

- ZXG99F01
- ZXG99E01
- ZXG99U01
- ✓ ZXG99L01

## TAW12\_3-3

71 In what case will an automatic upgrade take place using the modification assistant assuming no name or layout conflict exist

---

**(More than one answer is correct)**

- ✓ Menu function id modified
- New tabstrip added to a screen
- Deletion of a collective search help
- ✓ New Function Module is added to a function group

72 Name the parameter that is required with a filter dependent Business Add-In

---

- interface parameter flt\_parm
- service class parameter cl\_ft\_val
- export parameter ex\_val
- ✓ import parameter flt\_val

73 Name the transaction Code for Creating a BADI implementation

---

- SE24
- SE80
- ✓ SE19
- SE18

74 What type of requests are used to transport repository objects

---

- ✓ Workbench
- Repository
- Customizing
- Object Browser

75 When does a BADI default implementation execute

- 
- ✓ When only active implementation exists  
 When no active implementation exists  
 The default implementation always executes unless specified otherwise  
 Only if the developer specifies the default implementation should be executed
- 76 What is the term used when a change is made to a customer object in a system other than the original system
- 
- ✓ Change  
 Repair  
 Modification  
 Correction
- 77 Execution of get\_instance factory method causes what to happen.
- 
- Call Method  
 cl\_exitahndler=>get\_instance  
 changing  
 instance = rf\_badi.
- (More than one answer is correct)**
- ✓ Error Exception is raised because Static Method are not allowed with a BADI  
 ✓ The generated adapter class is instantiated  
 The interface is instantiated  
 ✓ The object reference methods can now be called  
 The reference variable is instantiated
- 78 Identify the valid statement when coding a field exit
- 
- ✓ MESSAGE I101.  
 SUBMIT RSCA101X.  
 MESSAGE E101.  
 BREAK-POINT.
- 79 What type of function will trigger the modification assistant to insert a

modifiable line range

---

**(More than one answer is correct)**

- ✓ Insert
- ✓ Add
- ✓ Delete
- ✓ Change
- ✓ Replace

80 If you are using a screen exit provided by a SAP application, when typically does the data get exported to the subscreen

---

- ✓ In a PBO module of the main screen
- In a PAI module of the main screen
- In a PBO module of the subscreen
- In a PBO module of the subscreen



## TAW12\_3-3

- 81 Mark the item that is NOT True of BADI Function Codes
- 
- ✓ Can be created only for a single use BADI  
 The Method call and the menu enhancement must be defined in different enhancements  
 Must not be defined for multiple use  
 Must not be filter dependant  
 function codes are identified with the prefix '+' i.e. When '+XXX'
- 82 When implementing a BADI that is filter dependent, how does the filter value get passed to the method ?
- 
- ✓ The filter value is passed to the method as an import parameter  
 The filter value gets passed as a reference variable  
 There is no need to pass to the method as a parameter  
 The filter value is passed to the method as an export parameter
- 83 How does a customer benefit by using SSCR
- 
- ✓ To log enhancements made by a development user  
 To log modifications made by a development user  
 To log Customizing made by a development user
- 84 Where does the customer defined ABAP code reside for a BADI
- 
- ✓ BADI definition  
 Adapter Class  
 Implementing Class  
 Interface Methods
- 85 What is the term used when a change is made to a customer object in a

system other than the original system

---

- ✓ Modification
- Change
- Repair
- Correction

86 Where in a function exit does the customer code get inserted

---

- ✓ In the include of the calling program that calls the function
- In the function module itself that corresponds to the enhancement component
- ✓ In the include program that can be found in the function module that corresponds to the enhancement component
- In the program that calls the function module that corresponds to the enhancement component

87 What term is used when a developer makes a change to an SAP object

---

- ✓ Copy
- Modification
- Custom development
- User Exit

88 What is SAP Software Change Registration (SSCR) used for

---

- ✓ To register enhancements made by a developer
- To register Customizing made by a developer
- To register SAP modifications made by a developer
- To register custom developed modifications made by a developer

89 What type of function will trigger the modification assistant to insert a modifiable line range

---

**(More than one answer is correct)**

- ✓ Change
- ✓ Insert
- ✓ Add
- ✓ Replace
- ✓ Delete

90 What component of a class guarantees its own consistency

---

- functional methods
- public attributes
- static methods
- ✓ private attributes

## TAW12\_3-3

91 Execution of get\_instance factory method causes what to happen.

---

```
Call Method
 cl_exitahandler=>get_instance
changing
 instance = rf_badi.
```

**(More than one answer is correct)**

- ✓ The generated adapter class is instantiated
- ✓ The interface is instantiated
- ✓ The object reference methods can now be called
- ✓ Error Exception is raised because Static Method are not allowed with a BADI
- ✓ The reference variable is instantiated

92 What type of function will trigger the modification assistant to insert a modifiable line range

---

**(More than one answer is correct)**

- ✓ Add
- ✓ Replace
- ✓ Insert
- ✓ Delete
- ✓ Change

93 Which is not considered a way to tailor an R/3 system

---

- ✓ Personalization
- ✓ Interfacing
- ✓ Modification
- ✓ Enhancement
- ✓ Customizing

94 How does a customer benefit by using SSCR

---

TAW12\_3-3

- ✓ To log enhancements made by a development user  
To log Customizing made by a development user  
To log modifications made by a development user
- 95 In the case of a screen exit, how is global data accessed by the subscreen
- 
- ✓ Global data is available to subscreens so no special programming is required  
The developer uses preplanned function module exits  
Use the MOVE statement to move the screen data to the TOP include of the subscreen
- 96 Where in a function module XAAA would global data of an enhancement be declared
- 
- ✓ In the TAP include LxaaaTAP  
In the TOP include LxaaaTOP  
In the Include with your other code changes  
In the TOP include ZxaaaTOP
- 97 What is an SD User Exit technically considered.
- 
- ✓ Enhancement  
Customizing  
User Include  
Modification
- 98 Which transaction is used to make dictionary adjustments when upgrading versions of SAP
- 
- ✓ SP01  
SPDD  
SPAU  
CMOD
- 99 Identify the situation where Append Structures are not allowed.

**(More than one answer is correct)**

- ✓ If the table is a pooled or cluster table
- ✓ If the table contains a field of data type LCHR or LRAW
- If the last field has a domain of data type curr
- If the last field is already an Append Structure

100 What keyword would you look for in order to determine if a SMOD screen exit has been provided by SAP

---

- CALL SCREEN-EXIT
- CALL SCREEN CUSTOMER
- ✓ CALL CUSTOMER-SUBSCREEN
- CALL CUSTOMER-SCREEN

## TAW12\_3-3

101 What definitions are recommended to be client specific

---

**(More than one answer is correct)**

- ✓ Customizing
- Dictionary
- Repository
- ✓ Application

102 Interface Methods are made available by calling the static method 'get\_instance' of the which service class

---

- ✓ if\_ex\_badi
- cl\_exithandler
- exithandler
- cl\_exithandler\_badi

103 If you noticed a function code in a menu that began with + (plus sign), what type of exit would you be observing:

---

- a screen exit
- a text exit
- a program exit
- ✓ a menu exit

104 Where in a function exit does the customer code get inserted

---

- ✓ In the include program that can be found in the function module that corresponds to the enhancement component
- In the function module itself that corresponds to the enhancement component
- In the include of the calling program that calls the function
- In the program that calls the function module that corresponds to the enhancement component

105 A customer defined enhancement project uses function group XG99.  
Identify the invalid include generated for the enhancement project

---

- ✓ ZXG99F01
- ✓ ZXG99L01
- ZXG99U01
- ZXG99E01

106 What tasks must the developer perform in order to implement a BADI

---

**(More than one answer is correct)**

- ✓ Created the BADI implementation
- ✓ Provides Code for methods
- Defines Methods
- Creates the adapter class

107 What is true about append structures.

---

**(More than one answer is correct)**

- ✓ A table can have only one append structure
- ✓ An append-structure can only be assigned to one specific table
- ✓ A table can have more than one append structure.
- An append-structure can be assigned to more than one table

108 What is the customer name range for fields in an append structure

---

- ✓ ZZ or YY
- Z or Y
- Z\_ or Y\_
- ZZ\_ or YY\_

109 When implementing a BADI that is filter dependent, how does the



filter value get passed to the method ?

---

- ✓ There is no need to pass to the method as a parameter
- The filter value is passed to the method as an export parameter
- The filter value is passed to the method as an import parameter
- The filter value gets passed as a reference variable

110 What is the term used when a change is made to a customer object in a system other than the original system

---

- ✓ Correction
- Change
- Repair
- Modification

## TAW12\_3-3

111 When implementing a BADI that is filter dependent, how does the filter value get passed to the method ?

---

- ✓ The filter value is passed to the method as an export parameter
- The filter value is passed to the method as an import parameter
- There is no need to pass to the method as a parameter
- The filter value gets passed as a reference variable

112 If you want to make a change to the standard delivered SAP system to fit your business needs, what is the first thing you should do:

---

- ✓ Change the relevant SAP repository object
- Check configuration to see if the proposed change is feasible
- Log on to OSS and ask SAP to apply the change
- Create a custom object within the customer name range

113 In the case of a screen exit, how is global data accessed by the subscreen

---

- Use the MOVE statement to move the screen data to the TOP include of the subscreen
- ✓ The developer uses preplanned function module exits
- Global data is available to subscreens so no special programming is required

114 What components are part of the make up of a Business Add In

---

**(More than one answer is correct)**

- Functional Exits
- Signature
- ✓ Interface

✓ Business Object  
Adapter Class

115 If you noticed a function code in a menu that began with + (plus sign), what type of exit would you be observing:

---

✓ a screen exit  
a menu exit  
a program exit  
a text exit

116 What is true about the enhancement concept.

---

**(More than one answer is correct)**

✓ A specific enhancement can only be used in one customer project  
A component can be contained in more than one enhancement  
Enhancement Projects use CI includes  
✓ They are preplanned by SAP  
A specific enhancement may be used in more than one customer project

117 How does a customer benefit by using SSCR

---

✓ To log modifications made by a development user  
To log Customizing made by a development user  
To log enhancements made by a development user

118 Name the parameter that is required with a filter dependent Business Add-In

---

✓ import parameter flt\_val  
interface parameter flt\_parm  
service class parameter clflt\_val  
export parameter ex\_val

119 When does a BADI default implementation execute

---

- ✓ When no active implementation exists  
The default implementation always executes unless specified otherwise  
Only if the developer specifies the default implementation should be executed  
When only active implementation exists

120 What is the customer name range for fields in an append structure

---

- ✓ ZZ or YY  
Z\_ or Y\_  
Z or Y  
ZZ\_ or YY\_

## TAW12\_3-3

- 121      How many modification logs are available in your system
- 
- Determined by Basis group - this is a configurable item  
            minimum of 1  
            1 for every release  
            maximum of 1
- ✓
- 122      What term is used when a developer makes a change to an SAP object
- 
- User Exit  
            Custom development  
            Modification  
            Copy
- ✓
- 123      Where does the customer defined ABAP code reside for a BADI
- 
- Interface Methods  
            Implementing Class  
            Adapter Class  
            BADI definition
- ✓
- 124      In the case of a screen exit, how is global data accessed by the  
            subscreen
- 
- The developer uses preplanned function module exits  
            Use the MOVE statement to move the screen data to the  
            TOP include of the subscreen  
            Global data is available to subscreens so no special  
            programming is required
- ✓
- 125      When does a BADI default implementation execute
-

- ✓ When only active implementation exists
- When no active implementation exists
- Only if the developer specifies the default implementation should be executed
- The default implementation always executes unless specified otherwise

126 Which transaction is used to make dictionary adjustments when upgrading versions of SAP

---

- ✓ SPDD
- SPAU
- CMOD
- SP01

127 What is true about append structures.

---

**(More than one answer is correct)**

- An append-structure can be assigned to more than one table
- ✓ A table can have more than one append structure.
- ✓ An append-structure can only be assigned to one specific table
- A table can have only one append structure

128 What is an SD User Exit technically considered.

---

- User Include
- Customizing
- Enhancement
- ✓ Modification

129 What definitions are recommended to be client specific

---

**(More than one answer is correct)**

- ✓ Customizing
- ✓ Application  
Repository  
Dictionary

130 What components are part of the make up of a Business Add In

---

**(More than one answer is correct)**

- Functional Exits
- Business Object
- ✓ Interface
- Signature
- ✓ Adapter Class

## TAW12\_3-3

131 What type of object are recorded in customizing change requests

---

- ✓ System Wide
- Client specific
- Client independent
- Versions

132 Which transaction is used to make dictionary adjustments when upgrading versions of SAP

---

- SPAU
- SP01
- ✓ SPDD
- CMOD

133 What tasks must the developer perform in order to implement a BADI

---

**(More than one answer is correct)**

- ✓ Created the BADI implementation
- ✓ Provides Code for methods
- Defines Methods
- Creates the adapter class

134 Interface Methods are made available by calling the static method 'get\_instance' of the which service class

---

- exithandler
- if\_ex\_badi
- cl\_exithandler\_badi
- ✓ cl\_exithandler

135 Identify the valid statement when coding a field exit



✓ MESSAGE I101.  
SUBMIT RSCA101X.  
MESSAGE E101.  
BREAK-POINT.

136 What is true about the enhancement concept.

---

**(More than one answer is correct)**

✓ They are preplanned by SAP  
Enhancement Projects use CI includes  
✓ A specific enhancement can only be used in one customer project  
A component can be contained in more than one enhancement  
A specific enhancement may be used in more than one customer project

137 Identify the key word that determines if a CMOD function exit has been provided

---

✓ CALL CUSTOMER-FUNCTION  
CALL CUSTOMER-SUBSCREEN  
CALL USER-EXIT  
CALL PROGRAM-EXIT

138 What is the customer name range for fields in an append structure

---

✓ ZZ or YY  
ZZ\_ or YY\_  
Z\_ or Y\_  
Z or Y

139 Which of the following types of enhancements do not need to be assigned to an enhancement project:

---

**(More than one answer is correct)**

- ✓ Keyword
- Program exit
- Screen
- ✓ Field exit
- Menu exit

140 Which is not considered a way to tailor an R/3 system

---

- Personalization
- Modification
- ✓ Interfacing
- Enhancement
- Customizing

## TAW12\_3-3

141 What is true about the enhancement concept.

---

**(More than one answer is correct)**

- ✓ Enhancement Projects use CI includes
- ✓ A specific enhancement can only be used in one customer project
- ✓ They are preplanned by SAP
- A component can be contained in more than one enhancement
- A specific enhancement may be used in more than one customer project

142 What is the customer name range for fields in an append structure

---

- Z or Y
- ✓ ZZ or YY
- ZZ\_ or YY\_
- Z\_ or Y\_

143 Name the parameter that is required with a filter dependent Business Add-In

---

- service class parameter clflt\_val
- ✓ import parameter flt\_val
- export parameter ex\_val
- interface parameter flt\_parm

144 What type of requests are used to transport repository objects

---

- ✓ Workbench
- Object Browser
- Customizing
- Repository

145 What component of a class guarantees its own consistency

---

- ✓ public attributes
- private attributes
- functional methods
- static methods

146 What object is not supported by the modification assistant

---

- Functions
- Text Elements
- Menus
- ✓ User exits

147 What keyword would you look for in order to determine if a SMOD screen exit has been provided by SAP

---

- ✓ CALL SCREEN-EXIT
- CALL CUSTOMER-SUBSCREEN
- CALL SCREEN CUSTOMER
- CALL CUSTOMER-SCREEN

148 What term is used when a developer makes a change to an SAP object

---

- Copy
- Custom development
- User Exit
- ✓ Modification

149 What type of object are recorded in customizing change requests

---

- ✓ Client independent
- Client specific
- Versions
- System Wide

150 What components are part of the make up of a Business Add In

---

**(More than one answer is correct)**

- ✓ Interface
- Business Object
- ✓ Adapter Class
- Functional Exits
- Signature

## TAW12\_3-3

- 151 Interface Methods are made available by calling the static method 'get\_instance' of the which service class
- 
- ✓ cl\_exithandler  
cl\_exithandler\_badi  
if\_ex\_badi  
exithandler
- 152 Identify the valid statement when coding a field exit
- 
- ✓ MESSAGE E101.  
BREAK-POINT.  
MESSAGE I101.  
SUBMIT RSCA101X.
- 153 How are Customizing Includes created.
- 
- ✓ ABAP Workbench  
In the ABAP Dictionary  
Project Enhancement  
Customizing transactions
- 154 Name the transaction Code for Creating a BADI implementation
- 
- ✓ SE19  
SE18  
SE80  
SE24
- 155 If you noticed a function code in a menu that began with + (plus sign), what type of exit would you be observing:
-

- ✓ a program exit
- a screen exit
- a text exit
- ✓ a menu exit

156 What is SAP Software Change Registration (SSCR) used for

---

- ✓ To register enhancements made by a developer
- To register Customizing made by a developer
- To register SAP modifications made by a developer
- To register custom developed modifications made by a developer

157 What is true about programming a screen exit?

---

- ✓ You can branch to another screen by coding SET SCREEN xxx
- You can set your own gui-status
- The screen type must be subscreen

158 How many modification logs are available in your system

---

- 1 for every release
- minimum of 1
- ✓ Determined by Basis group - this is a configurable item
- maximum of 1

159 A Business Add-In consists of (complete the sentence)

---

**(More than one answer is correct)**

- ✓ Business Add-In Interface
- Business Add-In SAP Transaction Code
- ✓ Business Add-In Class
- Business Add-In Customer Program
- ✓ Business Add-In Definition

160 What components are part of the make up of a Business Add In

---

**(More than one answer is correct)**

- Business Object
- Signature
- Functional Exits
- Interface
- Adapter Class



## TAW12\_3-3

- 161 Identify the valid statement when coding a field exit
- 
- ✓ SUBMIT RSCA101X.  
MESSAGE E101.  
BREAK-POINT.  
MESSAGE I101.
- 162 In the case of a screen exit, how is global data accessed by the subscreen
- 
- Global data is available to subscreens so no special programming is required  
Use the MOVE statement to move the screen data to the TOP include of the subscreen  
✓ The developer uses preplanned function module exits
- 163 What type of requests are used to transport repository objects
- 
- ✓ Object Browser  
Customizing  
Workbench  
Repository
- 164 How many modification logs are available in your system
- 
- ✓ maximum of 1  
Determined by Basis group - this is a configurable item  
minimum of 1  
1 for every release
- 165 When implementing a BADI that is filter dependent, how does the filter value get passed to the method ?
-

- ✓ The filter value gets passed as a reference variable
- ✓ The filter value is passed to the method as an export parameter
- The filter value is passed to the method as an import parameter
- There is no need to pass to the method as a parameter

166 Name the parameter that is required with a filter dependent Business Add-In

---

- ✓ import parameter flt\_val
- interface parameter flt\_parm
- service class parameter clflt\_val
- export parameter ex\_val

167 If you want to make a change to the standard delivered SAP system to fit your business needs, what is the first thing you should do:

---

- Log on to OSS and ask SAP to apply the change
- Create a custom object within the customer name range
- Change the relevant SAP repository object
- ✓ Check configuration to see if the proposed change is feasible

168 Interface Methods are made available by calling the static method 'get\_instance' of the which service class

---

- exithandler
- cl\_exithandler\_badi
- if\_ex\_badi
- ✓ cl\_exithandler

169 A user has made a modification to a SAP subroutine. A new upgrade release is to be applied and SAP has made modifications to the same subroutine that the user has modified. What will happen during upgrade using the modification assistant

---

- ✓ The user modifications must be reapplied manually
- Options 'replace' and 'insert' is made available for you to decide on how to handle the upgrade
- The modification assistant will prompt you for a change request to reapply the change
- The user modifications are automatically inserted into the new subroutine release

170 Which of the following methods require higher maintenance when new releases of SAP are installed.

---

- Customizing
- Enhancements to the SAP Standard
- Append Structures
- ✓ Modifications to the SAP Standard

## TAW12\_3-3

171 What type of function will trigger the modification assistant to insert a modifiable line range

---

**(More than one answer is correct)**

- ✓ Delete
- Add
- ✓ Insert
- ✓ Replace
- Change

172 What is the value of sy-subrc when the user presses cancel after a screen has been displayed using the Call Selection-Screen statement

---

- ✓ 4
- 1
- 8
- 0

173 What keyword would you look for in order to determine if a SMOD screen exit has been provided by SAP

---

- CALL CUSTOMER-SCREEN
- CALL SCREEN CUSTOMER
- CALL SCREEN-EXIT
- ✓ CALL CUSTOMER-SUBSCREEN

174 What is SAP Software Change Registration (SSCR) used for

---

- To register Customizing made by a developer
- To register enhancements made by a developer
- ✓ To register SAP modifications made by a developer
- To register custom developed modifications made by a developer

175 What is true about the enhancement concept.

---

**(More than one answer is correct)**

- ✓ They are preplanned by SAP  
A specific enhancement may be used in more than one customer project  
A component can be contained in more than one enhancement
- ✓ A specific enhancement can only be used in one customer project  
Enhancement Projects use CI includes

176 Which of the following types of enhancements do not need to be assigned to an enhancement project:

---

**(More than one answer is correct)**

- ✓ Program exit
- ✓ Keyword
- ✓ Field exit
- Menu exit
- Screen

177 What tasks must the developer perform in order to implement a BADI

---

**(More than one answer is correct)**

- ✓ Provides Code for methods  
Defines Methods
- ✓ Created the BADI implementation  
Creates the adapter class

178 What is true about programming a screen exit?

---

- ✓ The screen type must be subscreen  
You can set your own gui-status

You can branch to another screen by coding SET SCREEN  
xxx

179      Where in a function exit does the customer code get inserted

- ✓      In the include program that can be found in the function module that corresponds to the enhancement component
- In the function module itself that corresponds to the enhancement component
- In the include of the calling program that calls the function
- In the program that calls the function module that corresponds to the enhancement component

180      What term is used when a developer makes a change to an SAP object

- ✓      Modification
- Custom development
- Copy
- User Exit

## TAW12\_3-3

181 Which of the following types of enhancements do not need to be assigned to an enhancement project:

---

**(More than one answer is correct)**

- ✓ Menu exit
- ✓ Field exit
- ✓ Program exit
- ✓ Keyword
- Screen

182 How are Customizing Includes created.

---

- In the ABAP Dictionary
- ABAP Workbench
- Project Enhancement
- ✓ Customizing transactions

183 What type of object are recorded in customizing change requests

---

- ✓ Versions
- Client specific
- System Wide
- Client independent

184 What tasks must the developer perform in order to implement a BADI

---

**(More than one answer is correct)**

- ✓ Defines Methods
- ✓ Provides Code for methods
- ✓ Created the BADI implementation
- Creates the adapter class

185 What screen object is needed on a tabstrip

---

- pushbutton
- screen
- box
- ✓ subscreen area

186 In what case will an automatic upgrade take place using the modification assistant assuming no name or layout conflict exist

---

**(More than one answer is correct)**

- ✓ New Function Module is added to a function group
- ✓ Menu function id modified
- Deletion of a collective search help
- New tabstrip added to a screen

187 Which is not considered a way to tailor an R/3 system

---

- Customizing
- Enhancement
- Modification
- Personalization
- ✓ Interfacing

188 Name the parameter that is required with a filter dependent Business Add-In

---

- ✓ interface parameter flt\_parm
- import parameter flt\_val
- export parameter ex\_val
- service class parameter clflt\_val

189 In the case of a screen exit, how is global data accessed by the subscreen

---



Global data is available to subscreens so no special programming is required  
Use the MOVE statement to move the screen data to the TOP include of the subscreen  
The developer uses preplanned function module exits



190 If you are using a screen exit provided by a SAP application, when typically does the data get exported to the subscreen

---

In a PBO module of the subscreen  
In a PBO module of the main screen  
In a PBO module of the subscreen  
In a PAI module of the main screen



## TAW12\_3-3

191 A customer defined enhancement project uses function group XG99.  
Identify the invalid include generated for the enhancement project

---

✓  
ZYG99L01  
ZYG99E01  
ZYG99F01  
ZYG99U01

192 Identify the valid statement when coding a field exit

---

✓  
MESSAGE I101.  
MESSAGE E101.  
BREAK-POINT.  
SUBMIT RSCA101X.

193 What relationship can be established in watchpoints.

---

✓  
any boolean operators  
combination of OR or AND conditions  
OR conditions only  
AND conditions only

194 What is the term used when a change is made to a customer object in a  
system other than the original system

---

✓  
Correction  
Repair  
Change  
Modification

195 Match the definition in group 1 with the exit type in group 2

---

Group 1

## TAW12\_3-3

- a. Placing your own code in the include of a supplied function module
- b. Defining your own text for the supplied function codes
- c. Creating subscreens for the subscreen areas
- d. Adding function modules for the data elements

Group 2

1. Field Exit
2. Screen Exit
3. Menu Exit
4. Function Exit

B-1, A-4, C-3, D-2  
A-3, B-2, C-1, D-4  
A-4, B-3, C-2, D-1

✓

- 196 Identify the key word that determines if a CMOD function exit has been provided
- 

CALL USER-EXIT  
CALL CUSTOMER-SUBSCREEN  
CALL CUSTOMER-FUNCTION  
CALL PROGRAM-EXIT

✓

- 197 Name the parameter that is required with a filter dependent Business Add-In
- 

export parameter ex\_val  
service class parameter cl\_ft\_val  
import parameter ft\_val  
interface parameter ft\_parm

✓

- 198 What is the customer name range for fields in an append structure
- 

Z\_ or Y\_  
ZZ\_ or YY\_  
Z or Y  
ZZ or YY

✓

- 199 When does a BADI default implementation execute



When no active implementation exists  
Only if the developer specifies the default  
implementation should be executed  
When only active implementation exists  
The default implementation always executes  
unless specified otherwise

200 Identify the situation where Append Structures are not allowed.

---

**(More than one answer is correct)**



If the last field is already an Append Structure  
If the table is a pooled or cluster table  
If the table contains a field of data type LCHR  
or LRAW  
If the last field has a domain of data type curr



## TAW12\_3-3

- 201      What type of object are recorded in customizing change requests
- 
- ✓      Client independent  
Client specific  
System Wide  
Versions
- 202      How would you transport the contents of a field in a field exit back to the screen
- 
- ✓      Assign the field value to the OUTPUT parameter  
Assign the field value to the INPUT parameter  
Assign the field value to the changing parameter  
Assign the field value to the import parameter
- 203      What is characteristic of a modification to SAP
- 
- ✓      Modified objects lose their connection to the standard  
Changes are lost during an upgrade to a new release  
New versions may need to be adjusted to include the modification  
Adjustment is automatic during an upgrade
- 204      What is an SD User Exit technically considered.
- 
- ✓      User Include  
Customizing  
Enhancement  
Modification
- 205      What is the value of sy-subrc when the user presses cancel after a screen has been displayed using the Call Selection-Screen statement
-

- ✓ 4
- 8
- 1
- 0

206 Which is not considered a way to tailor an R/3 system

---

- Modification
- Customizing
- ✓ Interfacing
- Enhancement
- Personalization

207 What is SAP Software Change Registration (SSCR) used for

---

- ✓ To register SAP modifications made by a developer
- To register enhancements made by a developer
- To register custom developed modifications made by a developer
- To register Customizing made by a developer

208 What type of requests are used to transport repository objects

---

- Repository
- Customizing
- Object Browser
- ✓ Workbench

209 A user has made a modification to a SAP subroutine. A new upgrade release is to be applied and SAP has made modifications to the same subroutine that the user has modified. What will happen during upgrade using the modification assistant

---

- ✓ Options 'replace' and 'insert' is made available for you to decide on how to handle the upgrade

The user modifications are automatically inserted into the new subroutine release

The user modifications must be reapplied manually

The modification assistant will prompt you for a change request to reapply the change

210 Which of the following types of enhancements do not need to be assigned to an enhancement project:

---

**(More than one answer is correct)**

- ✓ Menu exit
- ✓ Field exit
- ✓ Keyword
- Program exit
- Screen

## TAW12\_3-3

211 Execution of get\_instance factory method causes what to happen.

---

```
Call Method
 cl_exitahndler=>get_instance
changing
 instance = rf_badi.
```

**(More than one answer is correct)**

- Error Exception is raised because Static Method are not allowed with a BADI
- The object reference methods can now be called
- The generated adapter class is intantiated
- The reference variable is instantiated
- The interface is instantiated

212 What term is used when a developer makes a change to an SAP object

---

- User Exit
- Modification
- Copy
- Custom development

213 When does a BADI default implementation execute

---

- The default implementation always executes unless specified otherwise
- When only active implementation exists
- Only if the developer specifies the default implementation should be executed
- When no active implementation exists

214 Where in a function exit does the customer code get inserted

---

- In the include program that can be found in the function module that corresponds to the enhancement component
- In the include of the calling program that calls the function



In the function module itself that corresponds to the enhancement component

In the program that calls the function module that corresponds to the enhancement component

215 What type of function will trigger the modification assistant to insert a modifiable line range

---

**(More than one answer is correct)**

- ✓ Add
- ✓ Change
- ✓ Insert
- ✓ Delete
- ✓ Replace

216 When implementing a BADI that is filter dependent, how does the filter value get passed to the method ?

---

- ✓ There is no need to pass to the method as a parameter
- The filter value is passed to the method as an export parameter
- The filter value is passed to the method as an import parameter
- The filter value gets passed as a reference variable

217 How would you transport the contents of a field in a field exit back to the screen

---

- Assign the field value to the INPUT parameter
- Assign the field value to the import parameter
- ✓ Assign the field value to the OUTPUT parameter
- Assign the field value to the changing parameter

218 What components are part of the make up of a Business Add In

---

**(More than one answer is correct)**

- ✓ Functional Exits
- ✓ Adapter Class
- ✓ Interface
- Signature
- Business Object

219 What is the customer name range for fields in an append structure

---

- ✓ ZZ\_ or YY\_
- ✓ ZZ or YY
- Z or Y
- Z\_ or Y\_

220 What definitions are recommended to be client specific

---

**(More than one answer is correct)**

- ✓ Customizing
- ✓ Application
- Repository
- Dictionary

## TAW12\_3-3

221 Select the valid techniques used to search for BADI existence in a business transaction

---

**(More than one answer is correct)**

- ✓ Search for the keyword INTERFACE in the SAP program
- ✓ Use the Repository Info System and search through Exit Techniques
- Do a where used on the BADI Adapter class properties
- ✓ Search for key word BADI in the IMG
- ✓ Use the application hierarchy and search for BADI
- ✓ Search for CL\_EXITHANDLER in the SAP program

222 If you are using a screen exit provided by a SAP application, when typically does the data get exported to the subscreen

---

- ✓ In a PBO module of the subscreen
- In a PBO module of the main screen
- In a PAI module of the main screen
- In a PBO module of the subscreen

223 Which transaction is used to make dictionary adjustments when upgrading versions of SAP

---

- SP01
- CMOD
- ✓ SPDD
- SPAU

224 What is SAP Software Change Registration (SSCR) used for

---

- ✓ To register SAP modifications made by a developer
- To register Customizing made by a developer
- To register enhancements made by a developer

To register custom developed modifications made by a developer

225 What type of function will trigger the modification assistant to insert a modifiable line range

---

**(More than one answer is correct)**

- ✓ Delete
- ✓ Insert
- Change
- ✓ Replace
- Add

226 Where does the customer defined ABAP code reside for a BADI

---

- BADI definition
- Adapter Class
- ✓ Implementing Class
- Interface Methods

227 Name the transaction Code for Creating a BADI implementation

---

- SE80
- SE24
- ✓ SE19
- SE18

228 Which of the following types of enhancements do not need to be assigned to an enhancement project:

---

**(More than one answer is correct)**

- Screen
- ✓ Field exit
- ✓ Keyword
- Program exit
- Menu exit

229 If you noticed a function code in a menu that began with + (plus sign), what type of exit would you be observing:

---

- a program exit
- a screen exit
- a menu exit
- a text exit

230 Which is not considered a way to tailor an R/3 system

---

- Customizing
- Personalization
- Modification
- Enhancement
- Interfacing

## TAW12\_3-3

- 231 Interface Methods are made available by calling the static method 'get\_instance' of the which service class
- 
- ✓
- cl\_exithandler\_badi
  - cl\_exithandler
  - exithandler
  - if\_ex\_badi
- 232 If you noticed a function code in a menu that began with + (plus sign), what type of exit would you be observing:
- 
- ✓
- a text exit
  - a screen exit
  - a program exit
  - a menu exit
- 233 Refer to the code below and select the correct method
- 
- Data: rf\_enh type ref to if\_ex\_mybadi.
- ```
call method
  cl_exithandler=>get_instance
changing
  instance = rf_enh
```
- ✓
- call method cl_exithandler->methodname
 - call method rf_enh->methodname
 - call method get_instance->methodname
 - call method rf_enh=>methodname
- 234 What keyword would you look for in order to determine if a SMOD screen exit has been provided by SAP
-
- ✓
- CALL SCREEN CUSTOMER
 - CALL CUSTOMER-SUBSCREEN
 - CALL CUSTOMER-SCREEN
 - CALL SCREEN-EXIT

235 Which is not considered a way to tailor an R/3 system

- Personalization
- Enhancement
- Customizing
- ✓ Interfacing
- Modification

236 How are Customizing Includes created.

- ✓ Project Enhancement
- Customizing transactions
- In the ABAP Dictionary
- ABAP Workbench

237 A Business Add-In consists of (complete the sentence)

(More than one answer is correct)

- ✓ Business Add-In SAP Transaction Code
- Business Add-In Interface
- ✓ Business Add-In Definition
- ✓ Business Add-In Class
- Business Add-In Customer Program

238 Mark the item that is NOT True of BADI Function Codes

- function codes are identified with the prefix '+' i.e. When '+XXX'
- Can be created only for a single use BADI
- ✓ The Method call and the menu enhancement must be defined in different enhancements
- Must not be defined for multiple use
- Must not be filter dependant

239 Where in a function module XAAA would global data of an enhancement be declared

- In the Include with your other code changes
- In the TOP include LxaaaTOP
- In the TAP include LxaaaTAP
- In the TOP include ZxaaaTOP

240 Which of the following methods require higher maintenance when new releases of SAP are installed.

- Customizing
- Enhancements to the SAP Standard
- Modifications to the SAP Standard
- Append Structures

TAW12_3-3

241 What is characteristic of a modification to SAP

- Modified objects lose their connection to the standard
- Adjustment is automatic during an upgrade
- Changes are lost during an upgrade to a new release
- ✓ New versions may need to be adjusted to include the modification

242 What is true about append structures.

(More than one answer is correct)

- A table can have only one append structure
- An append-structure can be assigned to more than one table
- ✓ A table can have more than one append structure.
- ✓ An append-structure can only be assigned to one specific table

243 What tasks must the developer perform in order to implement a BADI

(More than one answer is correct)

- Creates the adapter class
- ✓ Created the BADI implementation
- Defines Methods
- ✓ Provides Code for methods

244 Identify the valid statement when coding a field exit

- MESSAGE I101.
- SUBMIT RSCA101X.
- ✓ MESSAGE E101.
- BREAK-POINT.

245 What is SAP Software Change Registration (SSCR) used for

- ✓ To register SAP modifications made by a developer
- To register custom developed modifications made by a developer
- To register enhancements made by a developer
- To register Customizing made by a developer

246 Where does the customer defined ABAP code reside for a BADI

- ✓ Implementing Class
- Interface Methods
- BADI definition
- Adapter Class

247 Name the transaction Code for Creating a BADI implementation

- SE24
- SE80
- SE18
- ✓ SE19

248 What type of object are recorded in customizing change requests

- ✓ Client specific
- Client independent
- System Wide
- Versions

249 What type of requests are used to transport repository objects

- ✓ Workbench
- Repository
- Customizing

Object Browser

250 What is the customer name range for fields in an append structure

- ZZ_ or YY_
- Z_ or Y_
- ZZ or YY
- Z or Y

TAW12_3-3

251 What transaction should be used to change keywords and short texts for SAP data elements

- ✓ CMOD
- SE30
- SE12
- SMOD

252 A Business Add-In consists of (complete the sentence)

(More than one answer is correct)

- ✓ Business Add-In Customer Program
- Business Add-In Interface
- Business Add-In SAP Transaction Code
- ✓ Business Add-In Definition
- Business Add-In Class

253 Mark the item that is NOT True of BADI Function Codes

- Must not be filter dependant
- Can be created only for a single use BADI
- Must not be defined for multiple use
- function codes are identified with the prefix '+'
- i.e. When '+XXX'
- ✓ The Method call and the menu enhancement must be defined in different enhancements

254 If you noticed a function code in a menu that began with + (plus sign), what type of exit would you be observing:

- ✓ a menu exit
- a screen exit
- a text exit

a program exit

255 What is true about append structures.

(More than one answer is correct)

- ✓ A table can have only one append structure
- ✓ A table can have more than one append structure.
- An append-structure can be assigned to more than one table
- ✓ An append-structure can only be assigned to one specific table

256 Match the definition in group 1 with the exit type in group 2

Group 1

- a. Placing your own code in the include of a supplied function module
- b. Defining your own text for the supplied function codes
- c. Creating subscreens for the subscreen areas
- d. Adding function modules for the data elements

Group 2

- 1. Field Exit
- 2. Screen Exit
- 3. Menu Exit
- 4. Function Exit

- ✓ B-1, A-4, C-3, D-2
- A-4, B-3, C-2, D-1
- A-3, B-2, C-1, D-4

257 Which of the following methods require higher maintenance when new releases of SAP are installed.

- ✓ Customizing
- Modifications to the SAP Standard
- Enhancements to the SAP Standard
- Append Structures

258 Select the valid techniques used to search for BADI existence in a

business transaction

(More than one answer is correct)

- ✓ Use the Repository Info System and search through Exit Techniques
Do a where used on the BADI Adapter class properties
- ✓ Use the application hierarchy and search for BADI
- ✓ Search for CL_EXITHANDLER in the SAP program
Search for the keyword INTERFACE in the SAP program
- ✓ Search for key word BADI in the IMG

259 What object is not supported by the modification assistant

- ✓ Text Elements
- User exits
- Menus
- Functions

260 What is the customer name range for fields in an append structure

- ✓ Z or Y
- Z_ or Y_
- ZZ or YY
- ZZ_ or YY_

TAW12_3-3

261 Match the definition in group 1 with the exit type in group 2

Group 1

- a. Placing your own code in the include of a supplied function module
- b. Defining your own text for the supplied function codes
- c. Creating subscreens for the subscreen areas
- d. Adding function modules for the data elements

Group 2

1. Field Exit
2. Screen Exit
3. Menu Exit
4. Function Exit

✓

A-4, B-3, C-2, D-1
 A-3, B-2, C-1, D-4
 B-1, A-4, C-3, D-2

262 What type of requests are used to transport repository objects

✓

Customizing
 Repository
 Object Browser
 Workbench

263 What is the term used when a change is made to a customer object in a system other than the original system

✓

Change
 Repair
 Modification
 Correction

264 Where does the customer defined ABAP code reside for a BADI

Interface Methods

✓
Implementing Class
Adapter Class
BADI definition

265 How does a customer benefit by using SSCR

✓
To log modifications made by a development user
To log enhancements made by a development user
To log Customizing made by a development user

266 Which of the following methods require higher maintenance when new releases of SAP are installed.

✓
Enhancements to the SAP Standard
Modifications to the SAP Standard
Append Structures
Customizing

267 What term is used when a developer makes a change to an SAP object

✓
Custom development
User Exit
Modification
Copy

268 Name the transaction Code for Creating a BADI implementation

✓
SE24
SE18
SE19
SE80

269 What is characteristic of a modification to SAP

- ✓
 - Changes are lost during an upgrade to a new release
 - Modified objects lose their connection to the standard
 - New versions may need to be adjusted to include the modification
 - Adjustment is automatic during an upgrade

270 What component of a class guarantees its own consistency

- ✓
 - static methods
 - private attributes
 - public attributes
 - functional methods

TAW12_3-3

271 What is true about the enhancement concept.

(More than one answer is correct)

- ✓ A component can be contained in more than one enhancement
- ✓ A specific enhancement can only be used in one customer project
- ✓ A specific enhancement may be used in more than one customer project
- ✓ They are preplanned by SAP
- Enhancement Projects use CI includes

272 When implementing a BADI that is filter dependent, how does the filter value get passed to the method ?

- ✓ The filter value gets passed as a reference variable
- The filter value is passed to the method as an import parameter
- ✓ The filter value is passed to the method as an export parameter
- There is no need to pass to the method as a parameter

273 Which is not considered a way to tailor an R/3 system

- Customizing
- Enhancement
- Personalization
- Modification
- ✓ Interfacing

274 What relationship can be established in watchpoints.

- ✓ OR conditions only
- combination of OR or AND conditions

any boolean operators
AND conditions only

275 A customer defined enhancement project uses function group XG99.
Identify the invalid include generated for the enhancement project

- ZXG99F01
- ZXG99E01
- ZXG99U01
- ✓ ZXG99L01

276 What is SAP Software Change Registration (SSCR) used for

- ✓ To register Customizing made by a developer
- To register SAP modifications made by a developer
- To register custom developed modifications made by a developer
- To register enhancements made by a developer

277 What components are part of the make up of a Business Add In

(More than one answer is correct)

- Functional Exits
- Signature
- Business Object
- ✓ Interface
- ✓ Adapter Class

278 What is the customer name range for fields in an append structure

- Z or Y
- Z_ or Y_
- ✓ ZZ or YY
- ZZ_ or YY_

279 Name the transaction Code for Creating a BADI implementation

- SE24
- SE18
- SE80
- ✓ SE19

280 Where does the customer defined ABAP code reside for a BADI

- ✓ BADI definition
- Implementing Class
- Interface Methods
- Adapter Class

TAW12_3-3

281 What is the value of sy-subrc when the user presses cancel after a screen has been displayed using the Call Selection-Screen statement

- 8
- 1
- 0
- ✓ 4

282 Which is not considered a way to tailor an R/3 system

- Customizing
- Personalization
- Modification
- ✓ Interfacing
- Enhancement

283 What is true about append structures.

(More than one answer is correct)

- ✓ An append-structure can be assigned to more than one table
- ✓ An append-structure can only be assigned to one specific table
- ✓ A table can have only one append structure
- ✓ A table can have more than one append structure.

284 When does a BADI default implementation execute

- Only if the developer specifies the default implementation should be executed
- The default implementation always executes unless specified otherwise
- When only active implementation exists
- ✓ When no active implementation exists

285 Name the transaction Code for Creating a BADI implementation

- ✓ SE24
- SE19
- SE18
- SE80

286 Refer to the code below and select the correct method

Data: rf_enh type ref to if_ex_mybadi.

```
call method
  cl_exithandler=>get_instance
changing
  instance = rf_enh
```

- ✓ call method rf_enh=>methodname
- call method cl_exithandler->methodname
- call method rf_enh->methodname
- call method get_instance->methodname

287 Execution of get_instance factory method causes what to happen.

```
Call Method
  cl_exitahndler=>get_instance
changing
  instance = rf_badi.
```

(More than one answer is correct)

- ✓ Error Exception is raised because Static Method are not allowed with a BADI
- ✓ The object reference methods can now be called
- ✓ The reference variable is instantiated
- ✓ The generated adapter class is intantiated
- The interface is instantiated

288 What is characteristic of a modification to SAP

Changes are lost during an upgrade to a new release
Modified objects lose their connection to the standard

- ✓ Adjustment is automatic during an upgrade
- ✓ New versions may need to be adjusted to include the modification

289 Select the valid techniques used to search for BADI existence in a business transaction

(More than one answer is correct)

- ✓ Search for the keyword INTERFACE in the SAP program
- ✓ Search for key word BADI in the IMG
- ✓ Search for CL_EXITHANDLER in the SAP program
- ✓ Do a where used on the BADI Adapter class properties
- ✓ Use the application hierarchy and search for BADI
- ✓ Use the Repository Info System and search through Exit Techniques

290 If you are using a screen exit provided by a SAP application, when typically does the data get exported to the subscreen

- ✓ In a PAI module of the main screen
- ✓ In a PBO module of the subscreen
- ✓ In a PBO module of the main screen
- ✓ In a PBO module of the subscreen

TAW12_3-3

- 291 Which of the following methods require higher maintenance when new releases of SAP are installed.
-
- ✓ Modifications to the SAP Standard
 - Enhancements to the SAP Standard
 - Append Structures
 - Customizing
- 292 If you want to make a change to the standard delivered SAP system to fit your business needs, what is the first thing you should do:
-
- ✓ Check configuration to see if the proposed change is feasible
 - Change the relevant SAP repository object
 - Log on to OSS and ask SAP to apply the change
 - Create a custom object within the customer name range
- 293 When does a BADI default implementation execute
-
- Only if the developer specifies the default implementation should be executed
 - When only active implementation exists
 - ✓ When no active implementation exists
 - The default implementation always executes unless specified otherwise
- 294 Where does the customer defined ABAP code reside for a BADI
-
- Interface Methods
 - Adapter Class
 - ✓ Implementing Class
 - BADI definition
- 295 In the case of a screen exit, how is global data accessed by the

subscreen

Global data is available to subscreens so no special programming is required

- ✓ The developer uses preplanned function module exits
- Use the MOVE statement to move the screen data to the TOP include of the subscreen

296 What term is used when a developer makes a change to an SAP object

- ✓ Modification
- Copy
- User Exit
- Custom development

297 What is the customer name range for fields in an append structure

- ✓ Z_ or Y_
- ZZ_ or YY_
- ZZ or YY
- Z or Y

298 Name the parameter that is required with a filter dependent Business Add-In

- ✓ import parameter flt_val
- service class parameter clflt_val
- interface parameter flt_parm
- export parameter ex_val

299 What screen object is needed on a tabstrip

- ✓ screen
- pushbutton
- subscreen area
- box

300

What is characteristic of a modification to SAP

- Modified objects lose their connection to the standard
- Changes are lost during an upgrade to a new release
- Adjustment is automatic during an upgrade
- ✓ New versions may need to be adjusted to include the modification

TAW12_3-3

301 What term is used when a developer makes a change to an SAP object

- ✓ Modification
- Copy
- User Exit
- Custom development

302 A customer defined enhancement project uses function group XG99. Identify the invalid include generated for the enhancement project

- ZXG99E01
- ZXG99F01
- ZXG99U01
- ✓ ZXG99L01

303 What relationship can be established in watchpoints.

- OR conditions only
- AND conditions only
- ✓ combination of OR or AND conditions
- any boolean operators

304 A user has made a modification to a SAP subroutine. A new upgrade release is to be applied and SAP has made modifications to the same subroutine that the user has modified. What will happen during upgrade using the modification assistant

- The modification assistant will prompt you for a change request to reapply the change
- The user modifications must be reapplied manually
- The user modifications are automatically inserted into the new subroutine release
- ✓ Options 'replace' and 'insert' is made available for you to decide on how to handle the upgrade

305 How are Customizing Includes created.

- ✓ In the ABAP Dictionary
- Customizing transactions
- Project Enhancement
- ABAP Workbench

306 What type of object are recorded in customizing change requests

- Client independent
- Versions
- ✓ Client specific
- System Wide

307 What is true about programming a screen exit?

- You can branch to another screen by coding SET SCREEN xxx
- You can set your own gui-status
- ✓ The screen type must be subscreen

308 In what case will an automatic upgrade take place using the modification assistant assuming no name or layout conflict exist

(More than one answer is correct)

- ✓ New Function Module is added to a function group
- Deletion of a collective search help
- New tabstrip added to a screen
- ✓ Menu function id modified

309 Identify the valid statement when coding a field exit

MESSAGE I101.
SUBMIT RSCA101X.

✓ BREAK-POINT.
MESSAGE E101.

310 Where does the customer defined ABAP code reside for a BADI

✓ Implementing Class
Interface Methods
Adapter Class
BADI definition

TAW12_3-3

311 Match the definition in group 1 with the exit type in group 2

Group 1

- a. Placing your own code in the include of a supplied function module
- b. Defining your own text for the supplied function codes
- c. Creating subscreens for the subscreen areas
- d. Adding function modules for the data elements

Group 2

1. Field Exit
2. Screen Exit
3. Menu Exit
4. Function Exit

A-3, B-2, C-1, D-4

B-1, A-4, C-3, D-2

✓

A-4, B-3, C-2, D-1

312 What is true about append structures.

(More than one answer is correct)

✓ An append-structure can be assigned to more than one table

✓ An append-structure can only be assigned to one specific table

✓ A table can have only one append structure

✓ A table can have more than one append structure.

313 What is true about the enhancement concept.

(More than one answer is correct)

✓ A specific enhancement can only be used in one customer project

Enhancement Projects use CI includes

A specific enhancement may be used in more than one customer project

✓ They are preplanned by SAP
A component can be contained in more than one enhancement

314 How are Customizing Includes created.

✓ ABAP Workbench
Customizing transactions
In the ABAP Dictionary
Project Enhancement

315 What is characteristic of a modification to SAP

✓ Modified objects lose their connection to the standard
New versions may need to be adjusted to include the modification
Adjustment is automatic during an upgrade
Changes are lost during an upgrade to a new release

316 If you noticed a function code in a menu that began with + (plus sign), what type of exit would you be observing:

✓ a menu exit
a program exit
a text exit
a screen exit

317 Which transaction is used to make dictionary adjustments when upgrading versions of SAP

✓ SPDD
SPAU
CMOD
SP01

318 A customer defined enhancement project uses function group XG99.
Identify the invalid include generated for the enhancement project

✓ ZXG99U01
ZXG99E01
ZXG99F01
ZXG99L01

319 Interface Methods are made available by calling the static method
'get_instance' of the which service class

✓ exithandler
cl_exithandler
cl_exithandler_badi
if_ex_badi

320 A user has made a modification to a SAP subroutine. A new upgrade
release is to be applied and SAP has made modifications to the same
subroutine that the user has modified. What will happen during upgrade
using the modification assistant

✓ The user modifications are automatically
inserted into the new subroutine release
The modification assistant will prompt you
for a change request to reapply the change
The user modifications must be reapplied
manually
Options 'replace' and 'insert' is made available
for you to decide on how to handle the
upgrade

TAW12_3-3

321 What object is not supported by the modification assistant

- ✓
- Functions
 - Menus
 - User exits
 - Text Elements

322 Name the transaction Code for Creating a BADI implementation

- ✓
- SE18
 - SE24
 - SE19
 - SE80

323 Interface Methods are made available by calling the static method 'get_instance' of the which service class

- ✓
- exithandler
 - if_ex_badi
 - cl_exithandler
 - cl_exithandler_badi

324 What is true about append structures.

(More than one answer is correct)

- ✓
- An append-structure can only be assigned to one specific table
 - An append-structure can be assigned to more than one table
- ✓
- A table can have more than one append structure.
 - A table can have only one append structure

325 Match the definition in group 1 with the exit type in group 2

Group 1

- Placing your own code in the include of a supplied function module
- Defining your own text for the supplied function codes
- Creating subscreens for the subscreen areas
- Adding function modules for the data elements

Group 2

- Field Exit
- Screen Exit
- Menu Exit
- Function Exit

- ✓
- A-3, B-2, C-1, D-4
 A-4, B-3, C-2, D-1
 B-1, A-4, C-3, D-2

326 In what case will an automatic upgrade take place using the modification assistant assuming no name or layout conflict exist

(More than one answer is correct)

- ✓
- Deletion of a collective search help
- ✓
- New tabstrip added to a screen
- Menu function id modified
- ✓
- New Function Module is added to a function group

327 What is the term used when a change is made to a customer object in a system other than the original system

- ✓
- Repair
 Correction
 Change
 Modification

328 A customer defined enhancement project uses function group XG99. Identify the invalid include generated for the enhancement project

✓
ZXG99F01
ZXG99E01
ZXG99L01
ZXG99U01

329 Identify the valid statement when coding a field exit

✓
SUBMIT RSCA101X.
MESSAGE E101.
MESSAGE I101.
BREAK-POINT.

330 If you want to make a change to the standard delivered SAP system to fit your business needs, what is the first thing you should do:

✓
Log on to OSS and ask SAP to apply the change
Create a custom object within the customer name range
Check configuration to see if the proposed change is feasible
Change the relevant SAP repository object

TAW12_3-3

331 What is the value of sy-subrc when the user presses cancel after a screen has been displayed using the Call Selection-Screen statement

- 1
- 0
- 8
- ✓ 4

332 What is true about append structures.

(More than one answer is correct)

- An append-structure can be assigned to more than one table
- ✓ A table can have only one append structure
- ✓ An append-structure can only be assigned to one specific table
- ✓ A table can have more than one append structure.

333 If you want to make a change to the standard delivered SAP system to fit your business needs, what is the first thing you should do:

- ✓ Log on to OSS and ask SAP to apply the change
- Check configuration to see if the proposed change is feasible
- Create a custom object within the customer name range
- Change the relevant SAP repository object

334 How would you transport the contents of a field in a field exit back to the screen

- Assign the field value to the import parameter
- Assign the field value to the INPUT parameter
- ✓ Assign the field value to the OUTPUT parameter
- Assign the field value to the changing parameter

335 Mark the item that is NOT True of BADI Function Codes

Can be created only for a single use BADI
function codes are identified with the prefix '+' i.e. When
'+XXX'

- ✓ The Method call and the menu enhancement must be
defined in different enhancements
Must not be defined for multiple use
Must not be filter dependant

336 What is SAP Software Change Registration (SSCR) used for

- ✓ To register SAP modifications made by a developer
To register enhancements made by a developer
To register Customizing made by a developer
To register custom developed modifications made by a
developer

337 What is the customer name range for fields in an append structure

- ✓ ZZ or YY
ZZ_ or YY_
Z_ or Y_
Z or Y

338 Name the transaction Code for Creating a BADI implementation

- SE18
SE24
SE80
✓ SE19

339 Which is not considered a way to tailor an R/3 system

- ✓ Customizing
- Enhancement
- Modification
- Personalization
- Interfacing

340 What type of object are recorded in customizing change requests

- ✓ System Wide
- Client specific
- Versions
- Client independent

TAW12_3-3

341 A customer defined enhancement project uses function group XG99.
Identify the invalid include generated for the enhancement project

- ✓ ZXG99L01
- ZXG99F01
- ZXG99E01
- ZXG99U01

342 When does a BADI default implementation execute

- When only active implementation exists
- Only if the developer specifies the default implementation should be executed
- ✓ When no active implementation exists
- The default implementation always executes unless specified otherwise

343 How does a customer benefit by using SSCR

- ✓ To log modifications made by a development user
- To log enhancements made by a development user
- To log Customizing made by a development user

344 Which is not considered a way to tailor an R/3 system

- Modification
- Enhancement
- Customizing
- ✓ Interfacing
- Personalization

345 Identify the situation where Append Structures are not allowed.

(More than one answer is correct)

- ✓ If the last field has a domain of data type curr
- ✓ If the table contains a field of data type LCHR or LRAW
- ✓ If the last field is already an Append Structure
- ✓ If the table is a pooled or cluster table

346 Execution of get_instance factory method causes what to happen.

```
Call Method
    cl_exitahndler=>get_instance
changing
    instance = rf_badi.
```

(More than one answer is correct)

- ✓ The reference variable is instantiated
- ✓ The object reference methods can now be called
- ✓ Error Exception is raised because Static Method are not allowed with a BADI
- ✓ The generated adapter class is instantiated
- ✓ The interface is instantiated

347 What components are part of the make up of a Business Add In

(More than one answer is correct)

- ✓ Interface
- ✓ Business Object
- ✓ Adapter Class
- ✓ Signature
- ✓ Functional Exits

348 What is true about the enhancement concept.

(More than one answer is correct)

- ✓ They are preplanned by SAP
- ✓ A component can be contained in more than one enhancement

TAW12_3-3

A specific enhancement may be used in more than one customer project

- ✓ A specific enhancement can only be used in one customer project
- Enhancement Projects use CI includes

349 Identify the valid statement when coding a field exit

- ✓ MESSAGE E101.
BREAK-POINT.
MESSAGE I101.
SUBMIT RSCA101X.

350 If you want to make a change to the standard delivered SAP system to fit your business needs, what is the first thing you should do:

- Change the relevant SAP repository object
- Create a custom object within the customer name range
- Log on to OSS and ask SAP to apply the change
- ✓ Check configuration to see if the proposed change is feasible

TAW12_3-3

351 A user has made a modification to a SAP subroutine. A new upgrade release is to be applied and SAP has made modifications to the same subroutine that the user has modified. What will happen during upgrade using the modification assistant



The user modifications are automatically inserted into the new subroutine release
 Options 'replace' and 'insert' is made available for you to decide on how to handle the upgrade
 The user modifications must be reapplied manually
 The modification assistant will prompt you for a change request to reapply the change

352 Match the definition in group 1 with the exit type in group 2

Group 1

- a. Placing your own code in the include of a supplied function module
- b. Defining your own text for the supplied function codes
- c. Creating subscreens for the subscreen areas
- d. Adding function modules for the data elements

Group 2

1. Field Exit
2. Screen Exit
3. Menu Exit
4. Function Exit



A-3, B-2, C-1, D-4
 A-4, B-3, C-2, D-1
 B-1, A-4, C-3, D-2

353 What transaction should be used to change keywords and short texts for SAP data elements

SE30
 SMOD
 SE12



CMOD

354 Where in a function module XAAA would global data of an enhancement be declared



In the TOP include LxaaaTOP
In the TAP include LxaaaTAP
In the TOP include ZxaaaTOP
In the Include with your other code changes

355 When implementing a BADI that is filter dependent, how does the filter value get passed to the method ?



The filter value gets passed as a reference variable
The filter value is passed to the method as an export parameter
There is no need to pass to the method as a parameter
The filter value is passed to the method as an import parameter

356 What is the term used when a change is made to a customer object in a system other than the original system



Correction
Repair
Change
Modification

357 What is SAP Software Change Registration (SSCR) used for

To register enhancements made by a developer
To register Customizing made by a developer
To register custom developed modifications made by a developer

✓ To register SAP modifications made by a developer

358 What is true about the enhancement concept.

(More than one answer is correct)

✓ They are preplanned by SAP
A component can be contained in more than one enhancement

✓ A specific enhancement can only be used in one customer project
A specific enhancement may be used in more than one customer project
Enhancement Projects use CI includes

359 A customer defined enhancement project uses function group XG99. Identify the invalid include generated for the enhancement project

✓ ZXG99L01
ZXG99E01
ZXG99U01
ZXG99F01

360 Which of the following methods require higher maintenance when new releases of SAP are installed.

✓ Modifications to the SAP Standard
Enhancements to the SAP Standard
Append Structures
Customizing

TAW12_3-3

361 Execution of get_instance factory method causes what to happen.

```
Call Method
  cl_exithandler=>get_instance
changing
  instance = rf_badi.
```

(More than one answer is correct)

- ✓ The reference variable is instantiated
- ✓ The object reference methods can now be called
- ✓ The interface is instantiated
- ✓ Error Exception is raised because Static Method are not allowed with a BADI
- ✓ The generated adapter class is instantiated

362 Select the valid techniques used to search for BADI existence in a business transaction

(More than one answer is correct)

- ✓ Search for key word BADI in the IMG
- ✓ Search for the keyword INTERFACE in the SAP program
- ✓ Use the Repository Info System and search through Exit Techniques
- ✓ Do a where used on the BADI Adapter class properties
- ✓ Use the application hierarchy and search for BADI
- ✓ Search for CL_EXITHANDLER in the SAP program

363 Name the transaction Code for Creating a BADI implementation

- ✓ SE80
- SE24
- SE18
- SE19

364 Refer to the code below and select the correct method

Data: rf_enh type ref to if_ex_mybadi.

```
call method
  cl_exithandler=>get_instance
changing
  instance = rf_enh
```

- ✓ call method cl_exithandler->methodname
- call method rf_enh=>methodname
- call method rf_enh->methodname
- call method get_instance->methodname

365 Where in a function module XAAA would global data of an enhancement be declared

- ✓ In the TOP include ZxaaaTOP
- In the Include with your other code changes
- In the TOP include LxaaaTOP
- In the TAP include LxaaaTAP

366 What type of function will trigger the modification assistant to insert a modifiable line range

(More than one answer is correct)

- ✓ Delete
- Add
- ✓ Insert
- ✓ Replace
- Change

367 Match the definition in group 1 with the exit type in group 2

Group 1

- a. Placing your own code in the include of a supplied function module
- b. Defining your own text for the supplied function codes
- c. Creating subscreens for the subscreen areas
- d. Adding function modules for the data elements

Group 2

1. Field Exit
2. Screen Exit
3. Menu Exit
4. Function Exit

- ✓
- A-3, B-2, C-1, D-4
 A-4, B-3, C-2, D-1
 B-1, A-4, C-3, D-2

368 What is the value of sy-subrc when the user presses cancel after a screen has been displayed using the Call Selection-Screen statement

- ✓
- 8
 -1
 0
 4

369 What keyword would you look for in order to determine if a SMOD screen exit has been provided by SAP

- ✓
- CALL SCREEN-EXIT
 CALL SCREEN CUSTOMER
 CALL CUSTOMER-SUBSCREEN
 CALL CUSTOMER-SCREEN

370 What tasks must the developer perform in order to implement a BADI

(More than one answer is correct)

- ✓ Provides Code for methods
- ✓ Defines Methods
- ✓ Created the BADI implementation
- Creates the adapter class

TAW12_3-3

371 A customer defined enhancement project uses function group XG99.
Identify the invalid include generated for the enhancement project

✓
ZYG99F01
ZYG99L01
ZYG99U01
ZYG99E01

372 When does a BADI default implementation execute

✓
The default implementation always executes unless specified otherwise
When no active implementation exists
When only active implementation exists
Only if the developer specifies the default implementation should be executed

373 Where in a function module XAAA would global data of an enhancement be declared

✓
In the TOP include LxaaTOP
In the TAP include LxaaTAP
In the Include with your other code changes
In the TOP include ZxaaTOP

374 Mark the item that is NOT True of BADI Function Codes

✓
Can be created only for a single use BADI
The Method call and the menu enhancement must be defined in different enhancements
function codes are identified with the prefix '+' i.e. When '+XXX'
Must not be filter dependant
Must not be defined for multiple use

375 What component of a class guarantees its own consistency

- ✓ functional methods
- private attributes
- static methods
- public attributes

376 If you are using a screen exit provided by a SAP application, when typically does the data get exported to the subscreen

- ✓ In a PBO module of the main screen
- In a PAI module of the main screen
- In a PBO module of the subscreen
- In a PBO module of the subscreen

377 A Business Add-In consists of (complete the sentence)

(More than one answer is correct)

- ✓ Business Add-In Interface
- Business Add-In SAP Transaction Code
- Business Add-In Customer Program
- ✓ Business Add-In Class
- ✓ Business Add-In Definition

378 Match the definition in group 1 with the exit type in group 2

Group 1

- a. Placing your own code in the include of a supplied function module
- b. Defining your own text for the supplied function codes
- c. Creating subscreens for the subscreen areas
- d. Adding function modules for the data elements

Group 2

1. Field Exit
2. Screen Exit
3. Menu Exit
4. Function Exit

B-1, A-4, C-3, D-2
A-3, B-2, C-1, D-4
A-4, B-3, C-2, D-1



379 What is true about append structures.

(More than one answer is correct)



An append-structure can only be assigned to one specific table



A table can have more than one append structure.

An append-structure can be assigned to more than one table

A table can have only one append structure

380 In the case of a screen exit, how is global data accessed by the subscreen



The developer uses preplanned function module exits

Use the MOVE statement to move the screen data to the TOP include of the subscreen

Global data is available to subscreens so no special programming is required

TAW12_3-3

381 Where does the customer defined ABAP code reside for a BADI

- ✓ BADI definition
- ✓ Implementing Class
- Interface Methods
- Adapter Class

382 Which of the following types of enhancements do not need to be assigned to an enhancement project:

(More than one answer is correct)

- Screen
- Program exit
- ✓ Keyword
- Menu exit
- ✓ Field exit

383 Identify the situation where Append Structures are not allowed.

(More than one answer is correct)

- ✓ If the table contains a field of data type LCHR or LRAW
- If the last field is already an Append Structure
- If the last field has a domain of data type curr
- ✓ If the table is a pooled or cluster table

384 What relationship can be established in watchpoints.

- AND conditions only
- any boolean operators
- ✓ combination of OR or AND conditions
- OR conditions only

385 How are Customizing Includes created.

- ✓ In the ABAP Dictionary
- Project Enhancement
- ✓ Customizing transactions
- ABAP Workbench

386 Mark the item that is NOT True of BADI Function Codes

- function codes are identified with the prefix '+' i.e. When '+XXX'
- Must not be defined for multiple use
- Can be created only for a single use BADI
- ✓ The Method call and the menu enhancement must be defined in different enhancements
- Must not be filter dependant

387 What type of function will trigger the modification assistant to insert a modifiable line range

(More than one answer is correct)

- ✓ Change
- ✓ Insert
- Add
- ✓ Delete
- ✓ Replace

388 Identify the valid statement when coding a field exit

- BREAK-POINT.
- MESSAGE I101.
- SUBMIT RSCA101X.
- ✓ MESSAGE E101.

389 A customer defined enhancement project uses function group XG99. Identify the invalid include generated for the enhancement project

- ZXG99F01
- ZXG99U01
- ZXG99E01
- ✓ ZXG99L01

390 In what case will an automatic upgrade take place using the modification assistant assuming no name or layout conflict exist

(More than one answer is correct)

- ✓ New Function Module is added to a function group
- New tabstrip added to a screen
- ✓ Menu function id modified
- Deletion of a collective search help

TAW12_3-3

391 Which of the following methods require higher maintenance when new releases of SAP are installed.

- Append Structures
- Customizing
- Enhancements to the SAP Standard
- ✓ Modifications to the SAP Standard

392 What type of object are recorded in customizing change requests

- ✓ System Wide
- Client specific
- Client independent
- Versions

393 What is characteristic of a modification to SAP

- ✓ Modified objects lose their connection to the standard
- Changes are lost during an upgrade to a new release
- ✓ New versions may need to be adjusted to include the modification
- Adjustment is automatic during an upgrade

394 Which transaction is used to make dictionary adjustments when upgrading versions of SAP

- ✓ SPDD
- SP01
- SPAU
- CMOD

395 Identify the key word that determines if a CMOD function exit has been provided

- ✓ CALL CUSTOMER-FUNCTION
- CALL USER-EXIT
- CALL CUSTOMER-SUBSCREEN
- CALL PROGRAM-EXIT

396 What type of function will trigger the modification assistant to insert a modifiable line range

(More than one answer is correct)

- ✓ Add
- ✓ Delete
- Change
- ✓ Replace
- ✓ Insert

397 Name the transaction Code for Creating a BADI implementation

- SE18
- SE24
- ✓ SE19
- SE80

398 What is true about append structures.

(More than one answer is correct)

- An append-structure can be assigned to more than one table
- ✓ A table can have more than one append structure.
- A table can have only one append structure
- ✓ An append-structure can only be assigned to one specific table

399 A user has made a modification to a SAP subroutine. A new upgrade release is to be applied and SAP has made modifications to the same subroutine that the user has modified. What will happen during

upgrade using the modification assistant

- ✓ The modification assistant will prompt you for a change request to reapply the change
- Options 'replace' and 'insert' is made available for you to decide on how to handle the upgrade
- The user modifications are automatically inserted into the new subroutine release
- The user modifications must be reapplied manually

400 Identify the situation where Append Structures are not allowed.

(More than one answer is correct)

- ✓ If the table contains a field of data type LCHR or LRAW
- If the last field has a domain of data type curr
- ✓ If the table is a pooled or cluster table
- If the last field is already an Append Structure

TAW12_3-3

401 When does a BADI default implementation execute

✓

When only active implementation exists
 Only if the developer specifies the default implementation should be executed
 When no active implementation exists
 The default implementation always executes unless specified otherwise

402 Match the definition in group 1 with the exit type in group 2

Group 1

- Placing your own code in the include of a supplied function module
- Defining your own text for the supplied function codes
- Creating subscreens for the subscreen areas
- Adding function modules for the data elements

Group 2

- Field Exit
- Screen Exit
- Menu Exit
- Function Exit

✓

B-1, A-4, C-3, D-2
 A-4, B-3, C-2, D-1
 A-3, B-2, C-1, D-4

403 Where in a function module XAAA would global data of an enhancement be declared

✓

In the Include with your other code changes
 In the TOP include ZxaaaTOP
 In the TAP include LxaaaTAP
 In the TOP include LxaaaTOP

404 What is true about programming a screen exit?

✓ You can set your own gui-status
The screen type must be subscreen
You can branch to another screen by coding
SET SCREEN xxx

405 What component of a class guarantees its own consistency

✓ private attributes
public attributes
static methods
functional methods

406 When implementing a BADI that is filter dependent, how does the filter value get passed to the method ?

✓ The filter value is passed to the method as an import parameter
The filter value is passed to the method as an export parameter
There is no need to pass to the method as a parameter
The filter value gets passed as a reference variable

407 What screen object is needed on a tabstrip

✓ pushbutton
subscreen area
box
screen

408 What tasks must the developer perform in order to implement a BADI

(More than one answer is correct)

TAW12_3-3

- ✓ Creates the adapter class
- ✓ Defines Methods
- Created the BADI implementation
- Provides Code for methods

409 If you noticed a function code in a menu that began with + (plus sign), what type of exit would you be observing:

- ✓ a program exit
- a screen exit
- a menu exit
- a text exit

410 What is an SD User Exit technically considered.

- ✓ Customizing
- Modification
- Enhancement
- User Include

TAW12_3-3

- 411 How are Customizing Includes created.
-
- ✓ Customizing transactions
ABAP Workbench
In the ABAP Dictionary
Project Enhancement
- 412 What components are part of the make up of a Business Add In
-
- (More than one answer is correct)**
- ✓ Business Object
Signature
Adapter Class
Functional Exits
Interface
- 413 Which is not considered a way to tailor an R/3 system
-
- ✓ Personalization
Enhancement
Interfacing
Customizing
Modification
- 414 A customer defined enhancement project uses function group XG99. Identify the invalid include generated for the enhancement project
-
- ✓ ZXG99F01
ZXG99L01
ZXG99E01
ZXG99U01
- 415 What component of a class guarantees its own consistency

public attributes
functional methods
static methods
private attributes



416 When implementing a BADI that is filter dependent, how does the filter value get passed to the method ?



The filter value is passed to the method as an export parameter
The filter value is passed to the method as an import parameter
There is no need to pass to the method as a parameter
The filter value gets passed as a reference variable

417 Identify the valid statement when coding a field exit



MESSAGE I101.
BREAK-POINT.
SUBMIT RSCA101X.
MESSAGE E101.

418 What is true about the enhancement concept.

(More than one answer is correct)



A specific enhancement can only be used in one customer project
A specific enhancement may be used in more than one customer project



Enhancement Projects use CI includes
They are preplanned by SAP
A component can be contained in more than one enhancement

419 What definitions are recommended to be client specific

(More than one answer is correct)

- ✓ Dictionary
- ✓ Application
- ✓ Repository
- ✓ Customizing

420 Where in a function module XAAA would global data of an enhancement be declared

- ✓ In the TAP include LxaaaTAP
- In the TOP include LxaaaTOP
- In the TOP include ZxaaaTOP
- In the Include with your other code changes

TAW12_3-3

- 421 What is true about programming a screen exit?
-
- ✓ You can branch to another screen by coding SET SCREEN
xxx
You can set your own gui-status
The screen type must be subscreen
- 422 What keyword would you look for in order to determine if a SMOD screen exit has been provided by SAP
-
- ✓ CALL SCREEN CUSTOMER
CALL SCREEN-EXIT
CALL CUSTOMER-SCREEN
CALL CUSTOMER-SUBSCREEN
- 423 What term is used when a developer makes a change to an SAP object
-
- ✓ Copy
User Exit
Custom development
Modification
- 424 If you want to make a change to the standard delivered SAP system to fit your business needs, what is the first thing you should do:
-
- ✓ Create a custom object within the customer name range
Change the relevant SAP repository object
Log on to OSS and ask SAP to apply the change
Check configuration to see if the proposed change is feasible
- 425 What is the value of sy-subrc when the user presses cancel after a screen has been displayed using the Call Selection-Screen statement

✓ 4
-1
0
8

426 How are Customizing Includes created.

✓ Customizing transactions
In the ABAP Dictionary
ABAP Workbench
Project Enhancement

427 What transaction should be used to change keywords and short texts for SAP data elements

✓ SE30
SMOD
SE12
CMOD

428 Identify the key word that determines if a CMOD function exit has been provided

✓ CALL USER-EXIT
CALL CUSTOMER-FUNCTION
CALL CUSTOMER-SUBSCREEN
CALL PROGRAM-EXIT

429 What type of object are recorded in customizing change requests

✓ Client specific
Versions
System Wide
Client independent

430 Identify the valid statement when coding a field exit

- ✓ MESSAGE E101.
MESSAGE I101.
BREAK-POINT.
SUBMIT RSCA101X.

TAW12_3-3

- 431 What is characteristic of a modification to SAP
-
- ✓ Changes are lost during an upgrade to a new release
New versions may need to be adjusted to include the modification
Adjustment is automatic during an upgrade
Modified objects lose their connection to the standard
- 432 What term is used when a developer makes a change to an SAP object
-
- ✓ Copy
User Exit
Modification
Custom development
- 433 If you noticed a function code in a menu that began with + (plus sign), what type of exit would you be observing:
-
- ✓ a screen exit
a menu exit
a text exit
a program exit
- 434 Where in a function exit does the customer code get inserted
-
- ✓ In the include program that can be found in the function module that corresponds to the enhancement component
In the program that calls the function module that corresponds to the enhancement component
In the include of the calling program that calls the function
In the function module itself that corresponds to the enhancement component
- 435 What tasks must the developer perform in order to implement a BADI

(More than one answer is correct)

- ✓ Provides Code for methods
- ✓ Created the BADI implementation
- Creates the adapter class

- Defines Methods

436 What relationship can be established in watchpoints.

- ✓ combination of OR or AND conditions
- any boolean operators
- OR conditions only
- AND conditions only

437 What is the customer name range for fields in an append structure

- ✓ ZZ_ or YY_
- ZZ or YY
- Z_ or Y_
- Z or Y

438 What component of a class guarantees its own consistency

- public attributes
- static methods
- functional methods
- ✓ private attributes

439 Identify the valid statement when coding a field exit

- ✓ BREAK-POINT.
- MESSAGE E101.
- MESSAGE I101.
- SUBMIT RSCA101X.

440 What is an SD User Exit technically considered.

- ✓ User Include
Customizing
Modification
Enhancement

TAW12_3-3

441 What transaction should be used to change keywords and short texts for SAP data elements

- ✓ SE30
- ✓ CMOD
- SMOD
- SE12

442 How would you transport the contents of a field in a field exit back to the screen

- Assign the field value to the changing parameter
- Assign the field value to the INPUT parameter
- Assign the field value to the import parameter
- ✓ Assign the field value to the OUTPUT parameter

443 What components are part of the make up of a Business Add In

(More than one answer is correct)

- Business Object
- Signature
- ✓ Adapter Class
- Functional Exits
- ✓ Interface

444 In what case will an automatic upgrade take place using the modification assistant assuming no name or layout conflict exist

(More than one answer is correct)

- ✓ Menu function id modified
- Deletion of a collective search help
- ✓ New Function Module is added to a function group
- New tabstrip added to a screen

445 Where in a function exit does the customer code get inserted

- ✓ In the include of the calling program that calls the function
- ✓ In the include program that can be found in the function module that corresponds to the enhancement component
- ✓ In the function module itself that corresponds to the enhancement component
- ✓ In the program that calls the function module that corresponds to the enhancement component

446 What type of object are recorded in customizing change requests

- ✓ Client specific
- ✓ System Wide
- ✓ Versions
- ✓ Client independent

447 What type of function will trigger the modification assistant to insert a modifiable line range

(More than one answer is correct)

- ✓ Insert
- ✓ Add
- ✓ Change
- ✓ Delete
- ✓ Replace

448 What is an SD User Exit technically considered.

- ✓ Enhancement
- ✓ Modification
- ✓ Customizing
- ✓ User Include

449 What tasks must the developer perform in order to implement a BADI

(More than one answer is correct)

- ✓ Defines Methods
Provides Code for methods
- ✓ Created the BADI implementation
Creates the adapter class

450 Select the valid techniques used to search for BADI existence in a business transaction

(More than one answer is correct)

- ✓ Search for the keyword INTERFACE in the SAP program
- ✓ Search for CL_EXITHANDLER in the SAP program
- ✓ Use the Repository Info System and search through Exit Techniques
- ✓ Do a where used on the BADI Adapter class properties
- ✓ Search for key word BADI in the IMG
- ✓ Use the application hierarchy and search for BADI

TAW12_3-3

451 In what case will an automatic upgrade take place using the modification assistant assuming no name or layout conflict exist

(More than one answer is correct)

- ✓ Deletion of a collective search help
- ✓ Menu function id modified
- ✓ New tabstrip added to a screen
- ✓ New Function Module is added to a function group

452 What object is not supported by the modification assistant

- ✓ Text Elements
- ✓ Menus
- ✓ User exits
- ✓ Functions

453 What is true about append structures.

(More than one answer is correct)

- ✓ A table can have only one append structure
- ✓ A table can have more than one append structure.
- ✓ An append-structure can only be assigned to one specific table
- ✓ An append-structure can be assigned to more than one table

454 Identify the key word that determines if a CMOD function exit has been provided

- ✓ CALL CUSTOMER-FUNCTION
- CALL USER-EXIT
- CALL CUSTOMER-SUBSCREEN
- CALL PROGRAM-EXIT

455 When does a BADI default implementation execute

- ✓ The default implementation always executes unless specified otherwise
- When only active implementation exists
- ✓ When no active implementation exists
- Only if the developer specifies the default implementation should be executed

456 Name the parameter that is required with a filter dependent Business Add-In

- interface parameter flt_parm
- export parameter ex_val
- service class parameter clflt_val
- ✓ import parameter flt_val

457 Execution of get_instance factory method causes what to happen.

Call Method
 cl_exitahndler=>get_instance
 changing
 instance = rf_badi.

(More than one answer is correct)

- ✓ The object reference methods can now be called
- The reference variable is instantiated
- ✓ The generated adapter class is instantiated
- Error Exception is raised because Static Method are not allowed with a BADI
- The interface is instantiated

458 Where in a function exit does the customer code get inserted

- ✓ In the function module itself that corresponds to the enhancement component
- In the include program that can be found in the function module that corresponds to the enhancement component

TAW12_3-3

In the program that calls the function module that
corresponds to the enhancement component
In the include of the calling program that calls the function

459 Name the transaction Code for Creating a BADI implementation

- SE18
- SE24
- ✓ SE19
- SE80

460 If you want to make a change to the standard delivered SAP system to
fit your business needs, what is the first thing you should do:

- Log on to OSS and ask SAP to apply the change
- Create a custom object within the customer name range
- Change the relevant SAP repository object
- ✓ Check configuration to see if the proposed change is
feasible

TAW12_3-3

461 What type of object are recorded in customizing change requests

- ✓ Versions
- Client specific
- System Wide
- Client independent

462 Which of the following types of enhancements do not need to be assigned to an enhancement project:

(More than one answer is correct)

- Screen
- Menu exit
- ✓ Keyword
- ✓ Field exit
- Program exit

463 What component of a class guarantees its own consistency

- static methods
- public attributes
- ✓ private attributes
- functional methods

464 If you want to make a change to the standard delivered SAP system to fit your business needs, what is the first thing you should do:

- ✓ Change the relevant SAP repository object
- Check configuration to see if the proposed change is feasible
- Log on to OSS and ask SAP to apply the change
- Create a custom object within the customer name range

465 What transaction should be used to change keywords and short texts for SAP data elements

- SE30
- SE12
- SMOD
- ✓ CMOD

466 What object is not supported by the modification assistant

- Functions
- Menus
- ✓ User exits
- Text Elements

467 How many modification logs are available in your system

- ✓ 1 for every release
- maximum of 1
- minimum of 1
- Determined by Basis group - this is a configurable item

468 Where does the customer defined ABAP code reside for a BADI

- ✓ Implementing Class
- Adapter Class
- Interface Methods
- BADI definition

469 In what case will an automatic upgrade take place using the modification assistant assuming no name or layout conflict exist

(More than one answer is correct)

- ✓ New Function Module is added to a function group

- ✓ New tabstrip added to a screen
- Deletion of a collective search help
- ✓ Menu function id modified

470 What tasks must the developer perform in order to implement a BADI

(More than one answer is correct)

- Defines Methods
- ✓ Created the BADI implementation
- Creates the adapter class
- ✓ Provides Code for methods

TAW12_3-3

471 How does a customer benefit by using SSCR

- ✓ To log modifications made by a development user
- To log enhancements made by a development user
- To log Customizing made by a development user

472 Which is not considered a way to tailor an R/3 system

- Enhancement
- Customizing
- Modification
- ✓ Interfacing
- Personalization

473 Which transaction is used to make dictionary adjustments when upgrading versions of SAP

- ✓ SPAU
- SPDD
- SP01
- CMOD

474 Select the valid techniques used to search for BADI existence in a business transaction

(More than one answer is correct)

- ✓ Search for the keyword INTERFACE in the SAP program
- Use the Repository Info System and search through Exit Techniques
- Do a where used on the BADI Adapter class properties
- ✓ Search for CL_EXITHANDLER in the SAP program
- ✓ Search for key word BADI in the IMG
- ✓ Use the application hierarchy and search for BADI

475 Name the transaction Code for Creating a BADI implementation

- ✓ SE19
- SE80
- SE24
- SE18

476 What type of function will trigger the modification assistant to insert a modifiable line range

(More than one answer is correct)

- ✓ Replace
- ✓ Insert
- Change
- ✓ Delete
- Add

477 What screen object is needed on a tabstrip

- pushbutton
- screen
- box
- ✓ subscreen area

478 Refer to the code below and select the correct method

Data: rf_enh type ref to if_ex_mybadi.

```
call method
  cl_exithandler=>get_instance
changing
  instance = rf_enh
```

- call method cl_exithandler->methodname
- call method rf_enh=>methodname
- call method get_instance->methodname
- ✓ call method rf_enh->methodname

479 In what case will an automatic upgrade take place using the modification assistant assuming no name or layout conflict exist

(More than one answer is correct)

- ✓ Menu function id modified
- ✓ New tabstrip added to a screen
- ✓ Deletion of a collective search help
- ✓ New Function Module is added to a function group

480 What type of requests are used to transport repository objects

- ✓ Repository
- ✓ Workbench
- ✓ Customizing
- ✓ Object Browser

TAW12_3-3

- 481 Which transaction is used to make dictionary adjustments when upgrading versions of SAP
-
- ✓ SPDD
SP01
SPAU
CMOD
- 482 If you noticed a function code in a menu that began with + (plus sign), what type of exit would you be observing:
-
- ✓ a text exit
a screen exit
a menu exit
a program exit
- 483 What relationship can be established in watchpoints.
-
- ✓ any boolean operators
AND conditions only
combination of OR or AND conditions
OR conditions only
- 484 What type of function will trigger the modification assistant to insert a modifiable line range
-
- (More than one answer is correct)**
- ✓ Replace
Add
✓ Delete
✓ Insert
Change

485 What is SAP Software Change Registration (SSCR) used for

- ✓ To register Customizing made by a developer
- To register enhancements made by a developer
- ✓ To register SAP modifications made by a developer
- To register custom developed modifications made by a developer

486 Identify the situation where Append Structures are not allowed.

(More than one answer is correct)

- ✓ If the last field has a domain of data type curr
- ✓ If the table is a pooled or cluster table
- If the last field is already an Append Structure
- ✓ If the table contains a field of data type LCHR or LRAW

487 Where does the customer defined ABAP code reside for a BADI

- Adapter Class
- Interface Methods
- ✓ Implementing Class
- BADI definition

488 What transaction should be used to change keywords and short texts for SAP data elements

- ✓ CMOD
- SMOD
- SE30
- SE12

489 What is true about programming a screen exit?

- ✓ The screen type must be subscreen

TAW12_3-3

You can set your own gui-status
You can branch to another screen by coding SET
SCREEN xxx

490 What screen object is needed on a tabstrip

- ✓ subscreen area
- screen
- pushbutton
- box

TAW12_3-3

491 What type of function will trigger the modification assistant to insert a modifiable line range

(More than one answer is correct)

- ✓ Change
- ✓ Replace
- ✓ Delete
- ✓ Add
- ✓ Insert

492 A user has made a modification to a SAP subroutine. A new upgrade release is to be applied and SAP has made modifications to the same subroutine that the user has modified. What will happen during upgrade using the modification assistant

- ✓ The user modifications must be reapplied manually
- The user modifications are automatically inserted into the new subroutine release
- ✓ Options 'replace' and 'insert' is made available for you to decide on how to handle the upgrade
- The modification assistant will prompt you for a change request to reapply the change

493 If you are using a screen exit provided by a SAP application, when typically does the data get exported to the subscreen

- ✓ In a PBO module of the main screen
- In a PBO module of the subscreen
- In a PBO module of the subscreen
- In a PAI module of the main screen

494 What is the value of sy-subrc when the user presses cancel after a screen has been displayed using the Call Selection-Screen statement

8
-1
0
✓ 4

495 How many modification logs are available in your system

✓ 1 for every release
maximum of 1
Determined by Basis group - this is a configurable item
minimum of 1

496 Identify the situation where Append Structures are not allowed.

(More than one answer is correct)

✓ If the table contains a field of data type LCHR or LRAW
✓ If the table is a pooled or cluster table
If the last field has a domain of data type curr
If the last field is already an Append Structure

497 What is an SD User Exit technically considered.

✓ Customizing
Enhancement
Modification
User Include

498 Where in a function module XAAA would global data of an enhancement be declared

✓ In the TOP include LxaaaTOP
In the TOP include ZxaaaTOP
In the Include with your other code changes
In the TAP include LxaaaTAP

499 What is true about programming a screen exit?

- ✓ The screen type must be subscreen
You can branch to another screen by coding SET
SCREEN xxx
You can set your own gui-status

500 When does a BADI default implementation execute

- The default implementation always executes unless specified otherwise
Only if the developer specifies the default implementation should be executed
- ✓ When no active implementation exists
When only active implementation exists